

Contents

Marine Geology Volume 137, 1997

Special Issue: Gas in Marine Sediments, Geology/Chemistry/Microbiology. Edited by T.C.E. van Weering, G.T. Klaver and R.A. Prins

Gas in Marine Sediments—an introduction T.C.E. van Weering, G.T. Klaver and R.A. Prins	1
Dimethylsulfoniopropionate in anoxic intertidal sediments: a precursor of methanogenesis via dimethyl sulfide, methanethiol, and methiolpropionate M.J.E.C. van der Maarel and T.A. Hansen	5
Anaerobic methane oxidation by bacteria employing ^{14}C -methane uncontaminated with ^{14}C -carbon monoxide J. Harder	13
Amplitude versus offset modeling of the bottom simulating reflection associated with submarine gas hydrates K. Andreassen, P.E. Hart and M. MacKay	25
Detection of gas migration from a deep source by the use of exploration 3D seismic data R. Heggland	41
Methane migration within the submarine gas-hydrate stability zone under deep-water conditions G.D. Ginsburg and V.A. Soloviev	49
Water segregation in the course of gas hydrate formation and accumulation in submarine gas-seepage fields V.A. Soloviev and G.D. Ginsburg	59
Alteration of natural gas during leakage from a North Sea salt diapir field C.J. Clayton, S.J. Hay, S.A. Baylis and B. Dipper	69
Light hydrocarbon gases in shallow sediments in the northern North Sea T. Brekke, O. Lønne and S.E. Ohm	81
The origin of unusual gas seeps from onshore Papua New Guinea S.A. Baylis, S.J. Cawley, C.J. Clayton and M.A. Savell	109
Seabed morphology and gas venting in the Black Sea mudvolcano area: Observations with the MAK-1 deep-tow sidescan sonar and bottom profiler A.F. Limonov, T.C.E. van Weering, N.H. Kenyon, M.K. Ivanov and L.B. Meisner	121
The acoustic turbid layer in muddy sediments of Eckernförde Bay, Western Baltic: methane concentration, saturation and bubble characteristics F. Abegg and A.L. Anderson	137
The effect of methane seepage on the spatial distribution of oxygen and dissolved sulphide within a muddy sediment S. Zimmermann, R.G. Hughes and H.J. Flügel	149
Cold-water corals—are they hydrocarbon seep related? M. Hovland and E. Thomsen	159
Contributions to atmospheric methane by natural seepages on the UK continental shelf A. Judd, G. Davies, J. Wilson, R. Holmes, G. Baron and I. Bryden	165

Letter Section

The Foundation Seamount Chain: a first survey and sampling C.W. Devey, R. Hékinian, D. Ackermann, N. Binard, B. Francke, C. Hémond, V. Kapsimalis, S. Lorenc, M. Maia, H. Möller, K. Perrot, J. Pracht, T. Rogers, K. Stattegger, S. Steinke and P. Victor	191
First occurrence and stable isotope composition of authigenic γ -MnS in the central Gotland Deep (Baltic Sea) M.E. Böttcher and H. Huckriede	201

Regular Research Papers

The Rivera fracture zone revisited F. Michaud, J-Y. Royer, J. Bourgois, B. Mercier de Lepinay and G.P. Liaudon	207
Transgressive systems tract development and incised-valley fills within a Quaternary estuary-shelf system: Virginia inner shelf, USA A.M. Foyle and G.F. Oertel	227
Shallow subsurface geology of the continental shelf, Gulf of the Farallones, California, and its relationship to surficial seafloor characteristics J.L. Chin, H.A. Karl and N.M. Maher	251
^{210}Pb , manganese and carbon: indicators of focusing processes on the northwestern Mediterranean continental margin R. Buscail, P. Ambatsian, A. Monaco and M. Bernat	271
Submarine and coastal sediment failure triggered by the 1995, $M_s=6.1$ R. Aegion earthquake, Gulf of Corinth, Greece G. Papatheodorou and G. Ferentinos	287
Structural features off southwestern Taiwan C-S. Liu, I.L. Huang and L.S. Teng	305
Yangtze Shoal—a modern tidal sand sheet in the northwestern part of the East China Sea Z.X. Liu	321

APPENDIX

THE FOLLOWING TABLES GIVE THE RESULTS OF THE ANALYSES OF THE

SAMPLES OF THE VARIOUS TYPES OF WOODS AND OF THE

RESIDUES FROM THE DISTILLATION OF THE WOODS.

THE ANALYSES WERE MADE BY THE METHOD OF

ANALYSIS OF THE WOODS AND OF THE RESIDUES

FROM THE DISTILLATION OF THE WOODS.

THE ANALYSES WERE MADE BY THE METHOD OF

ANALYSIS OF THE WOODS AND OF THE RESIDUES

FROM THE DISTILLATION OF THE WOODS.

THE ANALYSES WERE MADE BY THE METHOD OF

ANALYSIS OF THE WOODS AND OF THE RESIDUES

FROM THE DISTILLATION OF THE WOODS.

THE ANALYSES WERE MADE BY THE METHOD OF

ANALYSIS OF THE WOODS AND OF THE RESIDUES

FROM THE DISTILLATION OF THE WOODS.

THE ANALYSES WERE MADE BY THE METHOD OF

ANALYSIS OF THE WOODS AND OF THE RESIDUES

FROM THE DISTILLATION OF THE WOODS.

THE ANALYSES WERE MADE BY THE METHOD OF

